

sut

G-7300/6702-2

The Patent Office Concept House Cardiff Road Newport South Wales NP10 8QQ

REC'D **27** SEP **2000**WIPO PCT

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

tistration under the Companies Act does not constitute a new legal entity but merely s the company to certain additional company law rules.

PRIORITY DOCUMENT

SUBMITTED OR TRANSMITTED IN COMPLIANCE WITH RULE 17.1(a) OR (b)


Signed

ned Atomics

Dated 8 September 2000



THIS PAGE BLANK (USPTO)



THE PATENT OFFICE G 24 AUG 1999



The Patent Office

Cardiff Road Newport Gwent NP9 1RH

Request for g (See the notes on the beat an explanatory leaflet from the Patent Office to help you fill in this form)

Your reference

M99/0332/GB

Patent application number (The Patent Office will fill in this part)

2 4 AUG 1999

9919922.6

3. Full name, address and postcode of the or of each applicant (underline all surnames)

Loughborough University Innovations Limited Loughborough University Ashby Road Loughborough Leicestershire LEll 3TF

GB

Patents ADP number (if you know it)

If the applicant is a corporate body, give the country/state of its incorporation

7001829001

4. Title of the invention

Acoustic Device

5. Name of your agent (if you have one)

"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

McNeight & Lawrence Regent House, Heaton Lane Stockport, Cheshire SK4 1BS

Patents ADP number (if you know it)

0001115001

6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number

Country

Priority application number (if you know it)

Date of filing (day / month / year)

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application

Date of filing (day / month / year)

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if:

a) any applicant named in part 3 is not an inventor, or Yes

b) there is an inventor who is not named as an applicant, or

c) any named applicant is a corporate body. See note (d))

Patents Form 1///

Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document



Continuation sheets of this form

Description 06

Claim(s)

Abstract

Drawing(s) 03 + 3

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77)

Request for preliminary examination and search (Patents Form 9/77)

Request for substantive examination (Patents Form 10/77)

> Any other documents (please specify)

. 11.

I/We request the grant of a patent on the basis of this application.

Signature MgWlgHI Lawren Date

12. Name and daytime telephone number of person to contact in the United Kingdom Mr. James - A-Robertson ____ _ 0161-480-6394_

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to probibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

- a) If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- b) Write your answers in capital letters using black ink or you may type them.
- c) If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- d) If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- e) Once you have filled in the form you must remember to sign and date it.
- For details of the fee and ways to pay please contact the Patent Office.

ACOUSTIC DEVICE

The present invention concerns acoustic devices, particularly musical instruments, having a new and improved soundboard, methods of manufacture of same, and the use of specific soundboards in the manufacture of acoustic devices.

For a long time it has been desired to produce acoustic devices, particularly musical instruments such as guitars, using soundboards constructed from synthetic polymers rather than wood as is traditionally done. Such devices would be relatively simple and inexpensive to manufacture and the production of devices having reproducible acoustic properties would be reduced from the complex skill-dependent job of an artisan to a controllable manufacturing process.

There have been many attempts to produce musical instruments having synthetic polymer-based soundboards, e.g. US 4353862, US 4364990, US 4429608, US 4969381, US 4873907, US 4188850, US 4185534, US 4213370, US 4290336, US 4334452, US 5469769, US 5804746 and US 4290336.

However, such instruments have typically suffered from the problem that they have been of a complex construction (for example with soundboards requiring carbon fibre or glass fibre reinforcements), are costly to manufacture, and have a sound quality not comparable to sound produced by instruments having the traditional wooden soundboard.

The present inventors have overcome the prior art disadvantages, producing musical instruments having polymer-based soundboards which are capable of producing sound of comparable quality to that produced by wooden soundboards. The materials

used are readily available and may be used to produce any desired acoustic device having a soundboard.

According to the present invention there is provided an acoustic device having a soundboard comprising expanded polycarbonate.

The expanded polycarbonate may be provided in the form of a sheet.

The soundboard may have a cellular rigid foam structure.

The soundboard may have a density of 500-700 kg/m³, for example 650 kg/m³.

The soundboard may have a tensile strength of about 20 MPa.

The soundboard may have a flexural strength of about 30 N/mm².

One expanded polycarbonate material which is particularly useful is FOREX-EPC E 50.650 (Airex AG, Switzerland; SBA Ltd, Leicester, UK). It has a closed cell rigid foam structure, an apparent density (DIN 53479) of 650 kg/m³, a tensile strength (DIN 53455) of 20 MPa, elongation at break (DIN 53455) of at least 10%, an E-Modulus in tension (DIN 53457) of 1000 MPa and in flexure (DIN 53457) of 1200 MPa, a flexural strength (DIN 53452) of 30 N/mm², is unbreakable on impact (DIN 53453), dimensional changes (DIN 16927) of ±0% at 120 minutes at 70°C, -0.5% at 75 minutes at 140°C (MD) and +0.4% at 75 minutes at 140°C (TD), and water absorption (DIN 53495) of less than 1% (W3-100°C 30 minutes).

Although it has previously been suggested in the art to use foams in the construction of e.g. guitars, it has never been suggested to use expanded polycarbonates.

For example, US 4185534 suggests using polystyrene and other homopolymers and copolymers derived from hydrocarbon vinyl monomer. Accoustic tests conducted by the inventors using an expanded PVC (Foamex - Airex AG, Switzerland; SBA Ltd, Leicester, UK) were found to produce a very "dull" sound which was unacceptable. Non-expanded polystyrene was also tested and found to produce a very "tinny" sound which was also unacceptable.

In certain of the prior art, the use of foams is disclosed but this is typically in the manufacture of solid-bodied instruments and not hollow-bodied ones having a soundboard.

It is typically found with traditional wooden instruments having a soundboard that they have "dead spots" or emit "wolf tones", which are particular frequencies that either respond very poorly or are much louder than the notes of other frequencies. This problem can be mitigated or avoided completely using the soundboards of the present invention.

The expanded polycarbonates used in the acoustic devices of the present invention have excellent acoustic properties allowing for the construction of e.g. stringed instruments such as guitars (see below) which have a quality of sound at least as good as instruments having wooden soundboards.

Naturally the exact acoustic properties of expanded polycarbonates will vary with e.g. their apparent density, tensile strength and flexural strength. Other factors such as the size of bubbles in the foam, either open or closed cells, as well as the gas or gases contained in the foam are also important. Nitrogen is typically used to expand the polycarbonate into the foam structure, but other gases may equally be used. For example, halogens such as argon, neon and helium. Other normally gaseous (under

normal atmospheric temperature and pressure) elements and compounds may also be used (subject to any undesired reactions with the polycarbonate) and will be readily apparent to one skilled in the art, for example as disclosed in e.g. US 4185534.

As well as forming the soundingboard of the acoustic device out of an expanded polycarbonate such as a polycarbonate sheet, the physical characteristics of the expanded polycarbonate may vary from point to point. For example, if the acoustic device is a guitar, the expanded polycarbonate soundboard may vary in thickness across its width or along its length. Similarly the size and/or density of bubbles may be varied.

The acoustic device may be a guitar as discussed above, or it may be any other musical instrument, particularly a stringed musical instrument, having a soundboard. For example, it may be a violin, mandolin, bass, lute, dulcimer, harp or piano.

The acoustic device may equally be any other device having a soundboard, for example devices requiring sound resonance (amplification) such as loudspeakers, drums or alarm systems.

The invention will be further apparent from the following description, with reference to the several figures of the accompanying drawings, which show, by way of example only, forms of guitar according to the present invention.

Of the Figures:

- Figure 1 shows a front view of a first embodiment of a guitar;
- Figure 2 shows a front view of a second embodiment of a guitar; and

Figure 3 shows a side view of the guitars in Figures 1 and 2.

Guitar 10 incorporating a soundboard according to the present invention has a general construction as shown in British Registered Designs Nos. 2074916 (guitar body) and 2074917 (guitar bridge).

Guitar 10 comprises a wooden neck 20, head 30 and fretboard 40. Soundboard 50 comprises FOREX-EPC E 50.650 having outer edge 51 and inner edge 52 defining sound-hole 53. Underside bracing of soundboard 50 is provided by a clear Lexan-polycarbonate brace 60.


Bridge 70 comprises Lexan. Sides 80 and back 90 comprise a single piece epoxy glass fibre moulding. Soundboard 50, brace 60, bridge 70 and sides 80/back 90 and bonded to gether using methylmethacrylate adhesive.

In a first embodiment of guitar 10 provided in Figure 1, a pattern construction for the main structural brace 60 is shown. Additional smaller braces (not shown) are used to distribute vibrations of the soundboard 50.

A second embodiment of the guitar 10 is provided in Figure 2. Here, brace 60 is in a slightly V-shaped pattern. The pattern of brace 60 according to this second embodiment may be more suited for production manufacture of guitar 10. In one variation (not shown) of the second embodiment, the pattern of brace 60 will be parallel rather than slightly V-shaped.


It will be appreciated that it is not intended to limit the invention to the above example only, many variations, such as might readily occur to one skilled in the art,

being possible, without departing from the scope thereof as defined by the appended claims.




THIS PAGE BLANK (USPTO,

(; . ; . ;



THIS PAGE BLANK (USPTO)



PC7 | G800/03073

Mc Neight & Lawrence.

4 Sept 2000.

THIS PAGE BLANK (USPTO)